

B1
Cont

said label sheet having at least one removably adhered label defined by a die cut through the face sheet to the adhesive around the perimeter of the label and at least one tie tying the label to another area on the face sheet, wherein duplex printing comprises printing on opposing sides of the label sheet by passing the label sheet through the rollers, toner and fuser assembly of a printer twice.

Sub
C1
Cont
B2

2. A label sheet of claim 1, wherein at least one label is provided with at least one tie on a leading edge of the label and at least one tie on a trailing edge of the label, the leading and trailing edges being defined by the direction the label sheet would pass through a printer.

3. A label sheet of claim 2, wherein at least one label has multiple ties on the leading and trailing edges, evenly spaced from one another.

4. A label sheet of claim 2, wherein at least one tie positioned on the leading edge and at least one tie positioned on the trailing edge of at least one label correspond to where the drive rollers of the duplex printer contact the sheet.

5. A label sheet of claim 1, wherein the tie(s) are defined by portions around the perimeter of the label which are not die cut.

B3

11. A method for duplex printing a label sheet which comprises feeding a label sheet according to claim 1 through a duplex printer where the duplex printer includes an operation where the label sheet is turned over a roller at an acute angle.

The following new claims have been added to the substitute specification:

B4

--17. (NEW) A method of claim 11, wherein at least one label of the label sheet is provided with at least one tie on a leading edge of said label, the leading edge being defined by the direction the label sheet would pass through the printer.

Sub
C17
C18

18. (NEW) A method of claim 11, wherein the labels of the label sheet are provided with at least one tie on a trailing edge of a label, the trailing edge being defined by the direction the label sheet would pass through the printer.

19. (NEW) A label sheet of claim 1, wherein each label is provided with at least one tie on the leading edge of the label, the leading edge being defined by the direction the label sheet would pass through a printer.

20. (NEW) A label sheet of claim 19, wherein each label has multiple ties on the leading edge of the label, evenly spaced from one another.

21. (NEW) A label sheet of claim 19, wherein the label sheet comprises multiple labels on the face sheet and each label is provided with at least one tie on the leading edge.

22. (NEW) A label sheet of claim 19, wherein a tie is provided on the leading edge of at least one label so as to correspond to where the drive rollers of the duplex printer contact the sheet.

By
C18

23. (NEW) A label sheet of claim 1, wherein each label is provided with at least one tie on the trailing edge of the label, the trailing edge being defined by the direction the label sheet would pass through a printer.

24. (NEW) A label sheet of claim 23, wherein each label has multiple ties on the trailing edge, evenly spaced from one another.

25. (NEW) A label sheet of claim 23, wherein the label sheet comprises multiple labels on the face sheet and each label is provided with at least one tie on the trailing edge.

26. (NEW) A label sheet of claim 19, wherein a tie is provided on the trailing edge of at least one label so as to correspond to where the drive rollers of the duplex printer contact the sheet.

27. (NEW) A label sheet for duplex printing which comprises a face sheet with two opposing printable sides, an adhesive layer bonded to the face sheet and a release liner removably adhered to the adhesive,

said label sheet having one or more removably adhered labels defined by a die cut through the face sheet to the adhesive around the perimeter of said label,

wherein one or more of said labels has at least one tie defined by a portion of the perimeter of said label which is not die cut,

wherein at least one tie for a label is positioned on the leading or trailing edge of said label so as to correspond to where the drive rollers of the duplex printer contact said label sheet, the leading or trailing edge being defined by the direction the label sheet would pass through a printer.

28. (NEW) A label sheet of claim 27, wherein each label is provided with at least one tie on a leading edge of the label and at least one tie on a trailing edge of the label, the leading and trailing edges being defined by the direction the label sheet would pass through a printer.

29. (NEW) A label sheet of claim 28, wherein the label sheet comprises multiple labels on the face sheet and each label is provided with a tie on the leading edge which corresponds to where the drive rollers of the duplex printer contact said label sheet and a tie on the trailing edge which corresponds to where the drive rollers of the duplex printer contact said label sheet, the leading and trailing edge being defined by the direction the label sheet would pass through a printer.

30. (NEW) A label sheet of claim 27, wherein each label is provided with at least one tie on the leading edge of the label, the leading edge being defined by the direction the label sheet would pass through a printer.

31. (NEW) A label sheet of claim 30, wherein each label has multiple ties on the leading edge of the label, evenly spaced from one another.

Sub
G
Cm

32. (NEW) A label sheet of claim 30, wherein the label sheet comprises multiple labels on the face sheet and each label is provided with at least one tie on the leading edge which corresponds to where the drive rollers of the duplex printer contact the sheet.

33. (NEW) A label sheet of claim 27, wherein each label is provided with at least one tie on the trailing edge of the label, the trailing edge being defined by the direction the label sheet would pass through a printer.

34. (NEW) A label sheet of claim 33, wherein each label has multiple ties on the trailing edge, evenly spaced from one another.

35. (NEW) A label sheet of claim 33, wherein the label sheet comprises multiple labels on the face sheet and each label is provided with at least one tie on the trailing edge which corresponds to where the drive rollers of the duplex printer contact the sheet.

36. (NEW) A label sheet for duplex printing which comprises a face sheet with two opposing printable sides, an adhesive layer bonded to the face sheet and a release liner removably adhered to the adhesive,

B4
Cm

said label sheet having more than two removably adhered labels defined by a die cut through the face sheet to the adhesive around the perimeter of said label,

wherein each of said labels has at least one tie defined by a portion of the perimeter of said label which is not die cut.

37. (NEW) A label sheet of claim 36, wherein each label is provided with at least one tie on a leading edge of the label and at least one tie on a trailing edge of the label, the leading and trailing edges being defined by the direction the label sheet would pass through a printer.

38. (NEW) A label sheet of claim 37, wherein each label is provided with a tie on the leading edge which corresponds to where the drive rollers of the duplex printer contact said label sheet and a tie on the trailing edge which corresponds to where the drive rollers of the duplex printer

contact said label sheet, the leading and trailing edge being defined by the direction the label sheet would pass through a printer.

39. (NEW) A label sheet of claim 36, wherein each label is provided with at least one tie on the leading edge of the label, the leading edge being defined by the direction the label sheet would pass through a printer.

40. (NEW) A label sheet of claim 39, wherein each label has multiple ties on the leading edge of the label, evenly spaced from one another.

41. (NEW) A label sheet of claim 39, wherein at least one tie on the leading edge corresponds to where the drive rollers of the duplex printer contact the sheet.

42. (NEW) A label sheet of claim 36, wherein each label is provided with at least one tie on the trailing edge of the label, the trailing edge being defined by the direction the label sheet would pass through a printer.

43. (NEW) A label sheet of claim 42, wherein each label has multiple ties on the trailing edge, evenly spaced from one another.

44. (NEW) A label sheet of claim 42, wherein at least one tie on the trailing edge corresponds to where the drive rollers of the duplex printer contact the sheet.

45. (NEW) A label sheet of claim 36, wherein the label sheet comprises a feed strip and at least two labels have at least one tie to said feed strip.

46. (NEW) A label sheet of claim 36, wherein the label is defined by a die cut through the face sheet to the adhesive around the perimeter of the label and the tie(s) are defined by portions around the perimeter of the label of a length less than 1 mm which are not die cut.

Sub
Cant

47. (NEW) A label sheet for duplex printing which comprises a face sheet with two opposing printable sides, an adhesive layer bonded to the face sheet and a release liner removably adhered to the adhesive,

said label sheet having more than three removably adhered labels defined by a die cut through the face sheet to the adhesive around the perimeter of said label,

wherein each of said labels has at least two ties defined by a portion of the perimeter of said label which is not die cut, each tie having a length less than 1 mm,

wherein each label has at least one tie positioned so as to correspond to where the drive rollers of the duplex printer contact said label sheet.

48. (NEW) A label sheet of claim 47, wherein each label is provided with at least one tie on a leading edge of the label and at least one tie on a trailing edge of the label, the leading and trailing edges being defined by the direction the label sheet would pass through a printer.

By
Cant

49. (NEW) A label sheet of claim 48, wherein each label is provided with a tie on the leading edge which corresponds to where the drive rollers of the duplex printer contact said label sheet and a tie on the trailing edge which corresponds to where the drive rollers of the duplex printer contact said label sheet, the leading and trailing edge being defined by the direction the label sheet would pass through a printer.

50. (NEW) A label sheet of claim 47, wherein each label is provided with at least one tie on the leading edge of the label, the leading edge being defined by the direction the label sheet would pass through a printer.

51. (NEW) A label sheet of claim 50, wherein at least one tie on the leading edge of each label corresponds to where the drive rollers of the duplex printer contact the sheet.

52. (NEW) A label sheet of claim 47, wherein each label is provided with at least one tie on the trailing edge of the label, the trailing edge being defined by the direction the label sheet would pass through a printer.

*Sub
Clt
Brc
Cnd*

53. (NEW) A label sheet of claim 52, wherein at least one tie on the trailing edge of each label corresponds to where the drive rollers of the duplex printer contact the sheet.

54. (NEW) A label sheet of claim 47, which additionally comprises a feed strip and at least two labels have at least one tie to said feed strip.--
